ELSEVIER

Journal of Materials Processing Technology 78 (1998) 211

Journal of Materials Processing Technology

Author Index of Volume 78

Absi-Alfaro, S.C., 24
Alush, H., 3
Antón, N., 12
Arrieux, R., 190

Bahor, M., 163
Barbacki, A., 18
Bochniak, W., 104
Bussiba, A., 3

Calzavarini, R., 53
Carsi, M., 177
Carvalho, G.C., 24
Chiabert, P., 29
Ciura, F., 104

Dadvandipour, S., 184
Dembovský, V., 36
D'Errico, G.E., 43, 48, 53
Dobrzański, L.A., 59
Dolinšek, S., 67
Dulieu-Smith, J.M., 75
Dybiec, H., 104

Eddahbi, M., 177

Giordano, M., 156
Gronostajski, Z.J., 84
Guglielmi, E., 48

Hernas, A., 90

Jonšta, Z., 90

Katz, Y., 3
Knosala, R., 150
Kopač, J., 95
Korbel, A., 104
Koutský, J., 112
Kubiak, K., 117
Kupiec, M., 3

Lombardi, F., 29

Majchrzak, E., 122
Majorana, C.E., 128
Marciniak, J., 143
Martinkovic, M., 204
Mazanec, K., 90
Mikołajski, E., 18
Mochnacki, B., 122

Nový, Z., 112
Nowacki, J., 138

Orlando, M., 29

Paszenda, Z., 143, 171
Piela, K., 104
Pilot, T., 150

Rieiro, I., 177
Robert, M.H., 198
Ruano, O.A., 177
Ruiz-Prieto, J.M., 12

Salomoni, V., 128
Samper, S., 156
Schrefler, B.A., 128
Sieniawski, J., 117
Siqueira, M.L., 24
Sitek, W., 59
Soković, M., 67, 163
Stanley, P., 75
Suchy, J.S., 122
Szewieczek, D., 171

Tabourot, L., 190
Torralba, J.M., 12
Tóth, L., 184
Tyrlik-Held, J., 171

Vacher, P., 190
Velasco, F., 12
Vicenzi, B., 53

Żak, W., 138
Zitnansky, M., 204
Zoqui, E.J., 198
Zrnik, J., 204

Elsevier Science S.A.
PII S0924-0136(98)00160-5

ELSEVIER

Journal of Materials Processing Technology 78 (1998) 213–216

Journal of Materials Processing Technology

Subject Index of Volume 78

Activating energy
steel refining by chemically active plasma, 36
Ageing
structural modifications in rheocast Al–Cu alloys by heat treatment and implications on mechanical properties, 198
Aluminium bronze
model describing the characteristic values of flow stress and strain of brass M63 and aluminium bronze BA93, 84
Amorphous structure
corrosion investigations of nanocrystalline iron based alloy, 171
Anisotropy
analysis of a criterion of deep drawing operation capability for thin orthotropic sheets, 190
Annealing of the amorphous alloy
corrosion investigations of nanocrystalline iron based alloy, 171
Atomic force microscopy
fundamental aspects as related to damage initiation of time dependent processes, 3
Austempering
optimization of heat treatment conditions for maximum toughness of high strength silicon steel, 18
Austenitic CrMn steel
structure analysis of austenitic CrMn steel alloyed by nitrogen, 112

Bainite
optimization of heat treatment conditions for maximum toughness of high strength silicon steel, 18
Biomaterials
the influence of base structure and carbon coating on the corrosion resistance of Co–Cr–Mo alloy, 143
Boundary element method
numerical model of macro-segregation during directional crystallization process, 122
Brass
model describing the characteristic values of flow stress and strain of brass M63 and aluminium bronze BA93, 84
Brittle–ductile behaviour
grain size effect on brittle–ductile transition behavior of mild steel, 184
Brittle temperature range
contribution to mechanical metallurgy behaviour of steel during continuous casting, 90

CAPE
benefits of geometric dimensioning and tolerancing, 29
CAQ
benefits of geometric dimensioning and tolerancing, 29
Carbon coatings
the influence of base structure and carbon coating on the corrosion resistance of Co–Cr–Mo alloy, 143
Ceramic matrix composites
mechanical properties and wear behaviour of ceramic matrix composites based on clinker portland doped with magnesia, 12
Ceramic whiskers
developing processes of property improvement of nickel base superalloys, 204
Cermet
on the inter-relationships of some machinability parameters in finish machining with cermet TiN (PVD) coated tools, 163
Cermet inserts
influences of PVD coatings on cermet tool life in continuous and interrupted turning, 53
Cermets
construction and exploitation of the high dimension cermet slide bearings in a polyethylene reactor, 138
Cermet substrate
a comparative study of PVD coated cermet inserts for milling applications, 48
Characteristic length
some observations about strain localisation and shear band formation in concrete samples, 128
CIM
benefits of geometric dimensioning and tolerancing, 29
Clinker portland
mechanical properties and wear behaviour of ceramic matrix composites based on clinker portland doped with magnesia, 12
Closed ring structure
benefits of geometric dimensioning and tolerancing, 29
Clustering
the application of neural networks in group technology, 150
Composite-like structure
the 'natural' metal–matrix composite formation by thermo-mechanical treatments, 104
Computer assistance
application of a neural network in modelling of hardenability of constructional steels, 59
Constructional steel
application of a neural network in modelling of hardenability of constructional steels, 59
Continuous fiber-reinforced metal matrix composites
developing processes of property improvement of nickel base superalloys, 204
Corrosion resistance
corrosion investigations of nanocrystalline iron based alloy, 171
the influence of base structure and carbon coating on the corrosion resistance of Co–Cr–Mo alloy, 143
Crack initiation
fundamental aspects as related to damage initiation of time dependent processes, 3
Creep
integral method from initial values to obtain the best fit of the Garofalo's creep equation, 177
Critical concentration
steel refining by chemically active plasma, 36
Critical strain
model describing the characteristic values of flow stress and strain of brass M63 and aluminium bronze BA93, 84

Elsevier Science S.A.
PII S0924-0136(98)00161-7

Crystal growth
numerical model of macro-segregation during directional crystallization process, 122
Cutting materials
influence of cutting material and coating on tool quality and tool life, 95
Cutting temperature
an adaptive system for turning process control based on tool temperature feedback, 43

Damage
some observations about strain localisation and shear band formation in concrete samples, 128
Deep drawing operation
analysis of a criterion of deep drawing operation capability for thin orthotropic sheets, 190
Design for assembly
benefits of geometric dimensioning and tolerancing, 29
DFA
benefits of geometric dimensioning and tolerancing, 29
Die forging
development of the microstructure and fatigue strength of two phase titanium alloys in the processes of forging and heat treatment, 117

Fatigue
fundamental aspects as related to damage initiation of time dependent processes, 3
Fatigue strength
development of the microstructure and fatigue strength of two phase titanium alloys in the processes of forging and heat treatment, 117
Finish machining
on the inter-relationships of some machinability parameters in finish machining with cermet TiN (PVD) coated tools, 163
Flexible manufacturing cell
off-line programming of flexible welding manufacturing cells, 24
Forming limit diagram
analysis of a criterion of deep drawing operation capability for thin orthotropic sheets, 190
Forming simulation
integral method from initial values to obtain the best fit of the Garofalo's creep equation, 177

Garofalo's equation
integral method from initial values to obtain the best fit of the Garofalo's creep equation, 177
GD&T
benefits of geometric dimensioning and tolerancing, 29
Grain size
grain size effect on brittle–ductile transition behavior of mild steel, 184
Group technology
the application of neural networks in group technology, 150
Grüneisen parameter
on the interpretation and significance of the Grüneisen parameter in thermoelastic stress analysis, 75

Hardenability
application of a neural network in modelling of hardenability of constructional steels, 59
Hardness
application of a neural network in modelling of hardenability of constructional steels, 59
High speed cutting
influence of cutting material and coating on tool quality and tool life, 95
Hill criterion
analysis of a criterion of deep drawing operation capability for thin orthotropic sheets, 190

Identification parameters
influence of TiN (PVD) coating on the tool on the identification parameters in turning, 67
Implants
the influence of base structure and carbon coating on the corrosion resistance of Co–Cr–Mo alloy, 143
Integrated software
benefits of geometric dimensioning and tolerancing, 29
Jominy curve
application of a neural network in modelling of hardenability of constructional steels, 59

Kinetics
steel refining by chemically active plasma, 36
Kohonen net
the application of neural networks in group technology, 150

Ladle
steel refining by chemically active plasma, 36
Liquid impenetrable temperature
contribution to mechanical metallurgy behaviour of steel during continuous casting, 90
Localisation
some observations about strain localisation and shear band formation in concrete samples, 128
Local parameters
grain size effect on brittle–ductile transition behavior of mild steel, 184

Machinability
influence of TiN (PVD) coating on the tool on the identification parameters in turning, 67
on the inter-relationships of some machinability parameters in finish machining with cermet TiN (PVD) coated tools, 163
Macro-segregation
numerical model of macro-segregation during directional crystallization process, 122
Maximum flow stress
model describing the characteristic values of flow stress and strain of brass M63 and aluminium bronze BA93, 84
Mechanical properties
mechanical properties and wear behaviour of ceramic matrix composites based on clinker portland doped with magnesia, 12
optimization of heat treatment conditions for maximum toughness of high strength silicon steel, 18
Mechanism analysis
taking into account elastic displacements in 3D tolerancing: Models and application, 156
Microstructure
development of the microstructure and fatigue strength of two phase titanium alloys in the processes of forging and heat treatment, 117
Mild steel
grain size effect on brittle–ductile transition behavior of mild steel, 184
Milling
a comparative study of PVD coated cermet inserts for milling applications, 48
Model
model describing the characteristic values of flow stress and strain of brass M63 and aluminium bronze BA93, 84

Modelling
application of a neural network in modelling of hardenability of constructional steels, 59
Mushy zone
contribution to mechanical metallurgy behaviour of steel during continuous casting, 90

Nanocrystaline structure
corrosion investigations of nanocrystalline iron based alloy, 171
Natural metal–matrix
the 'natural' metal–matrix composite formation by thermo-mechanical treatments, 104
Necking
analysis of a criterion of deep drawing operation capability for thin orthotropic sheets, 190
Neural net
application of a neural network in modelling of hardenability of constructional steels, 59
Non-linear regression
integral method from initial values to obtain the best fit of the Garofalo's creep equation, 177
Notch sensitivity
grain size effect on brittle–ductile transition behavior of mild steel, 184
Notch strain intensity factor
grain size effect on brittle–ductile transition behavior of mild steel, 184
Notch stress intensity factor
grain size effect on brittle–ductile transition behavior of mild steel, 184
Numerical simulation of physical processes
numerical model of macro-segregation during directional crystallization process, 122

Off-line programming
off-line programming of flexible welding manufacturing cells, 24

Particles recombination
steel refining by chemically active plasma, 36
Pattern recognition
the application of neural networks in group technology, 150
Polyethylene reactor mixer
construction and exploitation of the high dimension cermet slide bearings in a polyethylene reactor, 138
PVD coatings
influences of PVD coatings on cermet tool life in continuous and interrupted turning, 53
PVD coating techniques
a comparative study of PVD coated cermet inserts for milling applications, 48

Quenching
optimization of heat treatment conditions for maximum toughness of high strength silicon steel, 18

Reliability
mechanical properties and wear behaviour of ceramic matrix composites based on clinker portland doped with magnesia, 12
Residual stresses
fundamental aspects as related to damage initiation of time dependent processes, 3
Response surface
on the inter-relationships of some machinability parameters in finish machining with cermet TiN (PVD) coated tools, 163
Retained austenite
optimization of heat treatment conditions for maximum toughness of high strength silicon steel, 18
Rheocasting
structural modifications in rheocast Al–Cu alloys by heat treatment and implications on mechanical properties, 198
Robotized welding
off-line programming of flexible welding manufacturing cells, 24

Self-tuning regulator
an adaptive system for turning process control based on tool temperature feedback, 43
Semi-solid alloys
structural modifications in rheocast Al–Cu alloys by heat treatment and implications on mechanical properties, 198
Shear band
some observations about strain localisation and shear band formation in concrete samples, 128
Silicon steel
optimization of heat treatment conditions for maximum toughness of high strength silicon steel, 18
Slide bearings
construction and exploitation of the high dimension cermet slide bearings in a polyethylene reactor, 138
Softening
some observations about strain localisation and shear band formation in concrete samples, 128
Solution heat treatment
structural modifications in rheocast Al–Cu alloys by heat treatment and implications on mechanical properties, 198
Steady state flow stress
model describing the characteristic values of flow stress and strain of brass M63 and aluminium bronze BA93, 84
Steel refining
steel refining by chemically active plasma, 36
Stress corrosion cracking
fundamental aspects as related to damage initiation of time dependent processes, 3
Structural analysis
structure analysis of austenitic CrMn steel alloyed by nitrogen, 112
taking into account elastic displacements in 3D tolerancing: Models and application, 156
Superalloys
developing processes of property improvement of nickel base superalloys, 204

Tempering
optimization of heat treatment conditions for maximum toughness of high strength silicon steel, 18
Thermoelastic constant
on the interpretation and significance of the Grüneisen parameter in thermoelastic stress analysis, 75
Thermoelastic stress analysis
on the interpretation and significance of the Grüneisen parameter in thermoelastic stress analysis, 75
Thermo-mechanical treatments
the 'natural' metal–matrix composite formation by thermo-mechanical treatments, 104
TiN coating
influence of cutting material and coating on tool quality and tool life, 95
TiN (PVD) coating
influence of TiN (PVD) coating on the tool on the identification parameters in turning, 67
on the inter-relationships of some machinability parameters in finish machining with cermet TiN (PVD) coated tools, 163
Tolerancing for function
taking into account elastic displacements in 3D tolerancing: Models and application, 156

Tolerancing models
taking into account elastic displacements in 3D tolerancing: Models and application, 156
Tool life
a comparative study of PVD coated cermet inserts for milling applications, 48
influences of PVD coatings on cermet tool life in continuous and interrupted turning, 53
Tool wear
influence of cutting material and coating on tool quality and tool life, 95
Transfer functions
influence of TiN (PVD) coating on the tool on the identification parameters in turning, 67
Turning
influences of PVD coatings on cermet tool life in continuous and interrupted turning, 53
Turning process
an adaptive system for turning process control based on tool temperature feedback, 43
Twinning crystallography
structure analysis of austenitic CrMn steel alloyed by nitrogen, 112
Two phase titanium alloys
development of the microstructure and fatigue strength of two phase titanium alloys in the processes of forging and heat treatment, 117

Viscoelasticity
some observations about strain localisation and shear band formation in concrete samples, 128
Viscous modeling
analysis of a criterion of deep drawing operation capability for thin orthotropic sheets, 190

Zero ductility temperature
contribution to mechanical metallurgy behaviour of steel during continuous casting, 90